

L Number	Hits	Search Text	DB	Time stamp
1	40	(US-6738865-\$ or US-6725337-\$ or US-6681387-\$ or US-6611910-\$ or US-6601161-\$ or US-6553469-\$ or US-6487638-\$ or US-6463582-\$ or US-6453319-\$ or US-6425074-\$ or US-6397379-\$ or US-6374349-\$ or US-6321375-\$ or US-6266742-\$ or US-6256708-\$ or US-6182127-\$ or US-6112317-\$ or US-6009514-\$ or US-5950009-\$ or US-5909578-\$ or US-5809566-\$ or US-5809528-\$ or US-5778442-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$).did. or (US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020040429-\$ or US-20010021959-\$ or US-20040015930-\$).did.	USPAT; US-PGPUB	2004/06/10 12:32
3	6	((US-6738865-\$ or US-6725337-\$ or US-6681387-\$ or US-6611910-\$ or US-6601161-\$ or US-6553469-\$ or US-6487638-\$ or US-6463582-\$ or US-6453319-\$ or US-6425074-\$ or US-6397379-\$ or US-6374349-\$ or US-6321375-\$ or US-6266742-\$ or US-6256708-\$ or US-6182127-\$ or US-6112317-\$ or US-6009514-\$ or US-5950009-\$ or US-5909578-\$ or US-5809566-\$ or US-5809528-\$ or US-5778442-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$).did. or (US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020040429-\$ or US-20010021959-\$ or US-20040015930-\$).did.) and (Berry or Berc or Wu or Charney or Yates).in.) and (count\$3 same cache) and ((most adj (recently or frequently)) or (hot adj spot)) and ((execut\$5 or load) same (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 12:34
2	7	((US-6738865-\$ or US-6725337-\$ or US-6681387-\$ or US-6611910-\$ or US-6601161-\$ or US-6553469-\$ or US-6487638-\$ or US-6463582-\$ or US-6453319-\$ or US-6425074-\$ or US-6397379-\$ or US-6374349-\$ or US-6321375-\$ or US-6266742-\$ or US-6256708-\$ or US-6182127-\$ or US-6112317-\$ or US-6009514-\$ or US-5950009-\$ or US-5909578-\$ or US-5809566-\$ or US-5809528-\$ or US-5778442-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$).did. or (US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020040429-\$ or US-20010021959-\$ or US-20040015930-\$).did.) and (Berry or Berc or Wu or Charney or Yates).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 12:40

4	3894	((717/130,140,158,160) or (711/104,133,213) or (714/47) or (718/100)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 12:41
5	0	((717/130,140,158,160) or (711/104,133,213) or (714/47) or (718/100)).CCLS.) and ((LRU or LFU) adj3 counter) and (cache same counter) and (basic adj block) and (profil\$4 same (dynamic\$4 or runtime or execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 12:43
-	60	(@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 08:12
-	71	(@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 11:19
-	41	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 11:19
-	31	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:52
-	31	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:35
-	11	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:58

-	11	((((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)) not (Hewlett.as. and @ad>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:59
-	11	((((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)) not (Hewlett.as. and @pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:00
-	11	((((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)) not (Hewlett.as. and @pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:01
-	7	((((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)) not (Hewlett.as. and @pd>=20010703)) not (@pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:01
-	11	((((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (717/\$ or 711/\$)) not ((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$))) and (counter and cache)) not (branch near8 predict\$5)) not (Hewlett.as. and @pd>=20010703)) not (Hewlett.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:26

-	0	(code near3 block) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter and memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:29
-	1	(code near3 block) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter and cach\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:29
-	1	(code near3 block) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:29
-	49	(code or instruction) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:30
-	60	(@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:38
-	35	((code or instruction) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter))) and (@ad<=20010703 or @rlad<=20010703) not Hewlett.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:31
-	4	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$)) and (((code or instruction) near5 (((frequency or "most recently" or "most frequently") near3 execut\$4) near8 (counter))) and (@ad<=20010703 or @rlad<=20010703) not Hewlett.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:34
-	3	6112317.URPN.	USPAT	2004/06/07 15:32
-	13	("4008460" "4168541" "4455602" "4607331" "5224217" "5297248" "5526511" "5548742" "5754766" "5809528" "5857097" "5909566" "6112317").PN.	USPAT	2004/06/07 15:34
-	8	((("4008460" "4168541" "4455602" "4607331" "5224217" "5297248" "5526511" "5548742" "5754766" "5809528" "5857097" "5909566" "6112317").PN.) and counter and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:17
-	26	((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$)) and counter and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:18
-	9	(((@ad<=20010703 or @rlad<=20010703) and (((code or block or instruction) near5 (recently adj2 executed)) same (record or sav\$4 or stor\$4 or list\$4 or log\$4 or count\$3)) and (709/\$ or 707/\$ or 717/\$ or 714/\$ or 345/\$)) and counter and cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 11:43
-	8	((("4008460" "4168541" "4455602" "4607331" "5224217" "5297248" "5526511" "5548742" "5754766" "5809528" "5857097" "5909566" "6112317").PN.) and counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:31

-	31	(US-4551799-\$ or US-3928857-\$ or US-6502181-\$ or US-6505292-\$ or US-6658533-\$ or US-6141748-\$ or US-6108774-\$ or US-6101595-\$ or US-6073230-\$ or US-6014734-\$ or US-6003128-\$ or US-5995749-\$ or US-5983335-\$ or US-5978906-\$ or US-5954816-\$ or US-5941980-\$ or US-5881308-\$ or US-5832259-\$ or US-5668969-\$ or US-5590351-\$ or US-5566324-\$ or US-5392408-\$ or US-5317738-\$ or US-4761731-\$ or US-6199154-\$ or US-6279107-\$).did. or (US-6367001-\$ or US-6330662-\$).did. or (US-20010042172-\$ or US-20030140203-\$ or US-20040024971-\$).did.	USPAT; US-PGPUB	2004/06/07 16:35
-	21	((US-4551799-\$ or US-3928857-\$ or US-6502181-\$ or US-6505292-\$ or US-6658533-\$ or US-6141748-\$ or US-6108774-\$ or US-6101595-\$ or US-6073230-\$ or US-6014734-\$ or US-6003128-\$ or US-5995749-\$ or US-5983335-\$ or US-5978906-\$ or US-5954816-\$ or US-5941980-\$ or US-5881308-\$ or US-5832259-\$ or US-5668969-\$ or US-5590351-\$ or US-5566324-\$ or US-5392408-\$ or US-5317738-\$ or US-4761731-\$ or US-6199154-\$ or US-6279107-\$).did. or (US-6367001-\$ or US-6330662-\$).did. or (US-20010042172-\$ or US-20030140203-\$ or US-20040024971-\$).did.) and counter and (most adj3 executed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:35
-	0	((US-4551799-\$ or US-3928857-\$ or US-6502181-\$ or US-6505292-\$ or US-6658533-\$ or US-6141748-\$ or US-6108774-\$ or US-6101595-\$ or US-6073230-\$ or US-6014734-\$ or US-6003128-\$ or US-5995749-\$ or US-5983335-\$ or US-5978906-\$ or US-5954816-\$ or US-5941980-\$ or US-5881308-\$ or US-5832259-\$ or US-5668969-\$ or US-5590351-\$ or US-5566324-\$ or US-5392408-\$ or US-5317738-\$ or US-4761731-\$ or US-6199154-\$ or US-6279107-\$).did. or (US-6367001-\$ or US-6330662-\$).did. or (US-20010042172-\$ or US-20030140203-\$ or US-20040024971-\$).did.) and (counter near6 (most adj3 executed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:36
-	18	(branch near3 (instruction or taken or prediction)) and ((counter or record) near6 (most adj3 executed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:37
-	12	((branch near3 (instruction or taken or prediction)) and ((counter or record) near6 (most adj3 executed))) and (@ad<=20010703 or @rlad<=20010703) and (counter same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:40
-	11	((branch near3 (instruction or taken or prediction)) and ((counter or record) near6 (most adj3 executed))) and (@ad<=20010703 or @rlad<=20010703) and (counter same cache)) and (counter near7 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:44

-	5	((US-4551799-\$ or US-3928857-\$ or US-6502181-\$ or US-6505292-\$ or US-6658533-\$ or US-6141748-\$ or US-6108774-\$ or US-6101595-\$ or US-6073230-\$ or US-6014734-\$ or US-6003128-\$ or US-5995749-\$ or US-5983335-\$ or US-5978906-\$ or US-5954816-\$ or US-5941980-\$ or US-5881308-\$ or US-5832259-\$ or US-5668969-\$ or US-5590351-\$ or US-5566324-\$ or US-5392408-\$ or US-5317738-\$ or US-4761731-\$ or US-6199154-\$ or US-6279107-\$).did. or (US-6367001-\$ or US-6330662-\$).did. or (US-20010042172-\$ or US-20030140203-\$ or US-20040024971-\$).did.) and counter and (most adj3 executed)) and (counter near7 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:47
-	0	(most adj2 executed) and (((execution adj2 frequency) adj2 count\$3) near7 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:48
-	74	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 11:43
-	36	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:58
-	4	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@pd>=20010703) and (Hewlett.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 11:59
-	19	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) not (((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:58
-	4	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) not (((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard)) and (@pd<=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:40
-	27	((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) not (((code or basic) adj2 block) and (((hot adj spot) or (most adj2 frequently)) same cache)) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:44

-	4	(((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))) and Hewlett.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:44
-	23	(((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))) and Hewlett.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:45
-	23	(((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) not (((code or basic) adj2 block) and ((hot adj spot) or (most adj2 frequently)) same cache) and (@pd>=20010703) and (Hewlett.as.)) and (Hewlett-Packard))) and Hewlett.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:38
-	2	4927684.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:53
-	0	((block or code or instruction) near3 ((leasor less) adj2 executed)) near8 (memory or buffer or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:57

-	10	((block or code or instruction) near3 ((least or less) adj2 executed)) near8 (memory or buffer or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:31
-	102	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:57
-	65	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:32
-	8	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:59
-	12	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:00
-	12	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:01
-	9	((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:05

-	44	((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:05
---	----	--	---	---------------------

	4	((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard))) not (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard))) not (HEWLETT-PACKARD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:07
--	---	---	---	---------------------

-	40	((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard))) not (HEWLETT-PACKARD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:37
---	----	---	---	---------------------

-	33	((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard))) not (HEWLETT-PACKARD)) not Munson.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:12
---	----	--	---	---------------------

-	33	<pre> ((((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not ((((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or ((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) or (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett).as. and (@pd>=20010703)) or (((((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (Hewlett adj Packard) and (@pd>=20010703))) and (Hewlett adj Packard)))) not (HEWLETT-PACKARD)) not Munson.in.) not (HEWLETT-PACKARD) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:13
-	9	<pre> (((block or code or instruction) near3 ((least or less) adj2 executed)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:21
-	52	<pre> ((block or code or instruction) near3 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:31
-	64	<pre> ((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:24
-	11	<pre> (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:36
-	11	<pre> ((((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:34
-	285	<pre> ((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:36

-	49	((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:47
-	45	((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) not (HEWLETT-PACKARD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:03
-	113	((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:46
-	78	((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:03
-	8	((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache)) and ((LRU or LFU) near3 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:50
-	3	((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache)) not (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache)) and ((LRU or LFU) near3 counter)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:24

-	43	(((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((LRU or LFU) near3 counter)) or ((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache))) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:02
-	33	(((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((LRU or LFU) near3 counter)) or ((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache))) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) not (HEWLETT-PACKARD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:03
-	30	(((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((LRU or LFU) near3 counter)) or ((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache))) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) not (HEWLETT-PACKARD)) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:25

-	27	(US-6681387-\$ or US-6611910-\$ or US-6553469-\$ or US-6425074-\$ or US-6397379-\$ or US-6112317-\$ or US-6009514-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-5566324-\$ or US-6321375-\$ or US-5809528-\$ or US-5526511-\$ or US-5224217-\$ or US-6418530-\$ or US-6374349-\$ or US-5950009-\$ or US-5909578-\$ or US-6463582-\$ or US-6601161-\$ or US-6725337-\$).did. or (US-20010042172-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020112227-\$ or US-20020040429-\$).did.	USPAT; US-PGPUB	2004/06/08 15:03
-	29	(((((evict\$4 or remov\$4 or swap\$4) near4 (least adj2 (recently or frequently))) same (memory or cache)) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) or (((least adj2 (frequent\$4 or recent\$3)) near4 evict\$5) and (cache or (frequency near3 counter))) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((LRU or LFU) near3 counter)) or (((block or code or instruction) near3 ((most or hot or frequently) adj2 executed)) near8 (cache))) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) not (HEWLETT-PACKARD)) and (@ad<=20010703 or @rlad<=20010703) not (((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) not ((US-6681387-\$ or US-6611910-\$ or US-6553469-\$ or US-6425074-\$ or US-6397379-\$ or US-6112317-\$ or US-6009514-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-5566324-\$ or US-6321375-\$ or US-5809528-\$ or US-5526511-\$ or US-5224217-\$ or US-6418530-\$ or US-6374349-\$ or US-5950009-\$ or US-5909578-\$ or US-6463582-\$ or US-6601161-\$ or US-6725337-\$).did. or (US-20010042172-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020112227-\$ or US-20020040429-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:05 O
-	6	5761717.URPN.	USPAT	2004/06/08 15:05
-	1	5761717.URPN. and (block near2 (code or instruction or basic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:22
-	2	6487638.URPN.	USPAT	2004/06/08 15:22
-	1009	cache near3 ((basic or instruction or code) near2 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:23

-	35	((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:24
-	87	(cache near3 ((basic or instruction or code) near2 block)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:10
-	82	((cache near3 ((basic or instruction or code) near2 block)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3))) and (@ad<=20010703 or @rlad<=20010703) not (((((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:07
-	2	(((((cache near3 ((basic or instruction or code) near2 block)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) and (@ad<=20010703 or @rlad<=20010703) not (((((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((code or instruction) near8 (translat\$4 or load\$4 or fetch\$4 or execution))) and (block near2 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:26
-	78	(((((cache near3 ((basic or instruction or code) near2 block)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) and (@ad<=20010703 or @rlad<=20010703) not (((((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((code or instruction) near8 (translat\$4 or load\$4 or fetch\$4 or execution))) and 'basic block'	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:34
-	3	(((((cache near3 ((basic or instruction or code) near2 block)) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))) and (@ad<=20010703 or @rlad<=20010703) not (((((block or code or instruction) near4 ((least or less) adj2 frequent\$3)) near8 (memory or buffer or disk)) and (@ad<=20010703 or @rlad<=20010703) and ((counter or count\$3) same cache)) and (non-cache))) and ((code or instruction) near8 (translat\$4 or load\$4 or fetch\$4 or execution))) and 'basic block'	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:37
-	2	6003115.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:04
-	0	(LRU or MRU or (frequency adj3 counter)) and (dynamic\$5 near2 ((basic adj block) near3 cach\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:06

-	18	(LRU or MRU or (frequency adj3 counter)) and (((basic adj block) near3 cach\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:06
-	47071	(most adj2 (recently or frequently)) and (@ad<=20010703 or @rlad<=20010703) not (Hewlett.as. and @pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:34
-	4	((most adj2 (recently or frequently)) and (@ad<=20010703 or @rlad<=20010703) not (Hewlett.as. and @pd>=20010703)) and (basic adj block) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:44
-	55	(cache near4 (stor\$4 near3 count\$2)) and ((most or least) adj3 frequently) and (code near4 (execut\$4 or runtime or dynamic\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:33
-	55	((cache near4 (stor\$4 near3 count\$2)) and ((most or least) adj3 frequently) and (code near4 (execut\$4 or runtime or dynamic\$5))) and (@ad<=20010703 or @rlad<=20010703) not (Hewlett.as. and @pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:39
-	5	((cache near4 (stor\$4 near3 count\$2)) and ((most or least) adj3 frequently) and (code near4 (execut\$4 or runtime or dynamic\$5))) and (@ad<=20010703 or @rlad<=20010703) not (Hewlett.as. and @pd>=20010703)) and (maintain\$4 near3 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:39
-	1	((cache near4 (stor\$4 near3 count\$2)) and ((most or least) adj3 frequently) and (code near4 (execut\$4 or runtime or dynamic\$5))) and (@ad<=20010703 or @rlad<=20010703) not (Hewlett.as. and @pd>=20010703)) and (maintain\$4 near3 counter)) and (basic adj block) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:45
-	36	(US-6681387-\$ or US-6611910-\$ or US-6553469-\$ or US-6425074-\$ or US-6397379-\$ or US-6112317-\$ or US-6009514-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-5566324-\$ or US-6321375-\$ or US-5809528-\$ or US-5526511-\$ or US-5224217-\$ or US-6418530-\$ or US-6374349-\$ or US-5950009-\$ or US-5909578-\$ or US-6463582-\$ or US-6601161-\$ or US-6725337-\$ or US-6182127-\$ or US-6256708-\$ or US-6738865-\$ or US-5778442-\$).did. or (US-6266742-\$ or US-6487638-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-20010042172-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020112227-\$ or US-20020040429-\$ or US-20010021959-\$).did.	USPAT; US-PGPUB	2004/06/08 16:45

-	2	((US-6681387-\$ or US-6611910-\$ or US-6553469-\$ or US-6425074-\$ or US-6397379-\$ or US-6112317-\$ or US-6009514-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-5566324-\$ or US-6321375-\$ or US-5809528-\$ or US-5526511-\$ or US-5224217-\$ or US-6418530-\$ or US-6374349-\$ or US-5950009-\$ or US-5909578-\$ or US-6463582-\$ or US-6601161-\$ or US-6725337-\$ or US-6182127-\$ or US-6256708-\$ or US-6738865-\$ or US-5778442-\$).did. or (US-6266742-\$ or US-6487638-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-20010042172-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20020112227-\$ or US-20020040429-\$ or US-20010021959-\$).did.) and (basic adj block) and ((counter and cach\$3) same ((least or most) adj2 (frequent\$2 or recent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:45
-	36	(US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6418530-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$).did. or (US-6453319-\$ or US-6487638-\$ or US-5778442-\$ or US-6266742-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010042172-\$ or US-20010021959-\$ or US-20020040429-\$).did.	USPAT; US-PGPUB	2004/06/09 07:55
-	3	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6418530-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$).did. or (US-6453319-\$ or US-6487638-\$ or US-5778442-\$ or US-6266742-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010042172-\$ or US-20010021959-\$ or US-20020040429-\$).did.) and (cache same counter) and ("least recently" or "most recently") and ((basic or code) adj2 block) and (cache same stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 08:06

-	2	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6418530-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$).did. or (US-6453319-\$ or US-6487638-\$ or US-5778442-\$ or US-6266742-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010042172-\$ or US-20010021959-\$ or US-20020040429-\$).did.) and Hewlett.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 08:10
-	5	(cache and (count\$3 near3 (execution adj2 frequency))) and (@ad<=20010703 or @rlad<=20010703) and ((least or most) adj2 (recently or frequently))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:09
-	3	((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) and Hewlett.as. and @pd<=20010703	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 08:23
-	18	((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) not (((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) and Hewlett.as. and @pd<=20010703) and (HEWLETT-PACKARD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:00

-	9	(((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) not ((((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) and Hewlett.as. and @pd<=20010703) or ((((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) not ((((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) and Hewlett.as. and @pd<=20010703) and (HEWLETT-PACKARD))) and (cache same counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:01
-	40	(US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.	USPAT; US-PGPUB	2004/06/09 09:24

-	5	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.) and (cache near8 counter).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:24
-	21	cache and (count\$3 near3 (execution adj2 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:09
-	108	((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:13
-	12	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.) and (LRU or (cache near3 replacement) or (evict\$4 same algorithm)) and counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:56

-	3	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.) and (LRU or (cache near3 replacement) or (evict\$4 same algorithm)) and counter) and profil\$4 and ((hot adj spot) or (execution same block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:11
-	2	((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.) and (LRU or (cache near3 replacement) or (evict\$4 same algorithm)) and counter) and (basic adj block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:05

-	14	(((dynamic\$5 or runtime) near4 ((performance same monitor\$5) or probe or profil\$4 or (instrumentation and count\$3))) and cache and (@ad<=20010703 or @rlad<=20010703) and ((hot adj2 (trace or spot)) or ((least or most) adj2 (recently or frequently)))) and ((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:05
-	1	(((US-6397379-\$ or US-5909578-\$ or US-5950009-\$ or US-6463582-\$ or US-6725337-\$ or US-6601161-\$ or US-6553469-\$ or US-6681387-\$ or US-6611910-\$ or US-6425074-\$ or US-6374349-\$ or US-6321375-\$ or US-6112317-\$ or US-6009514-\$ or US-5809528-\$ or US-5566324-\$ or US-5526511-\$ or US-5224217-\$ or US-5121489-\$ or US-5067073-\$ or US-4574348-\$ or US-6182127-\$ or US-6738865-\$ or US-6256708-\$ or US-5809566-\$ or US-6453319-\$).did. or (US-6487638-\$ or US-5778442-\$ or US-6266742-\$ or US-6622300-\$ or US-6535903-\$ or US-6029004-\$ or US-6728955-\$ or US-6668372-\$).did. or (US-20020112227-\$ or US-20020108107-\$ or US-20020108106-\$ or US-20010021959-\$ or US-20020040429-\$ or US-20040015930-\$).did.) and (LRU or (cache near3 replacement) or (evict\$4 same algorithm)) and counter) and profil\$4 and ((hot adj spot) same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:11